

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Dr. Schutz Crosslinker A
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

SU21 Consumer uses: Private households / general public / consumers

· Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

- · Product category PC9a Coatings and paints, thinners, paint removers
- · Process category PROC10 Roller application or brushing
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · 1.3 Details of the supplier of the safety data sheet
- · Company/undertaking identification:

Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany

Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For the UK and Ireland:

Dr. Schutz U.K.

Unit 24

Anglo Buisness Park, Smeaton Close Aylesbury

**Bucks HP19 8UP** 

Tel.: 0044/1296-437827 Fax: 0044/1296-334219 E-Mail: steve@dr-schutz.com

· Further information obtainable from:

E-Mail: steve@dr-schutz.com

Department for product development

· 1.4 Emergency telephone number:

Dr. Schutz U.K. steve@dr-schutz.com

0044 (0) 1296 437827(mon - fri 9am-5pm)

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

Identification of the substance/preparation: Dr. Schutz Crosslinker A

## · Hazard pictograms



GHS07

### · Signal word Warning

### · Hazard-determining components of labelling:

aliphatic polyisocyanate

Hexamethylendiisocyanat-Oligomere

3-Isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, oligomers

cyclohexyldimethylamine

hexamethylene-di-isocyanate

### Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

## Precautionary statements

P280 Wear protective gloves / eye protection.

P362 Take off contaminated clothing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components:   |   |         |
|---|---|---------|
| CAS: 666723-27-9<br>EC number: 679-494-0  | aliphatic polyisocyanate  Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412                    | 50-100% |
| CAS: 111109-77-4<br>ELINCS: 404-640-5   | Di(propylene glycol) dimethyl ether  Skin Irrit. 2, H315; STOT SE 3, H335   | 10-25%  |
| EC number: 931-274-8<br>Reg.nr.: 01-2119485796-17   | Hexamethylendiisocyanat-Oligomere  Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335                                    | 5-10%   |
| EC number: 931-312-3<br>Reg.nr.: 01-2119488734-24   | 3-Isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, oligomers  • Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335 | 1-5%    |
| CAS: 123-86-4<br>EINECS: 204-658-1<br>Index number: 607-025-00-1<br>Reg.nr.: 01-2119485493-29 | n-butyl acetate     Flam. Liq. 3, H226;  STOT SE 3, H336  | 1-5%    |

(Contd. on page 3)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

Identification of the substance/preparation: Dr. Schutz Crosslinker A

|                           | (0  | Contd. of page 2) |
|---------------------------|---|-------------------|
| CAS: 9046-01-9            | poly(oxy-1,2-ethanediyl), α-tridecyl-ω-hydroxy-, phosphate  | ≥1-≤2.5%          |
|                           | Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315  |                   |
| CAS: 98-94-2              | cyclohexyldimethylamine   | ≥0.25-≤1%         |
| EINECS: 202-715-5         | ♠ Flam. Liq. 3, H226; ♠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♠ Met. Corr.1, H290; Skin Corr.   |                   |
| Reg.nr.: 01-2119533030-60 | H311; Acute Tox. 3, H331;   |                   |
|                           | 1B, H314; 🔖 Aquatic Chronic 2, H411   |                   |
| CAS: 822-06-0             | hexamethylene-di-isocyanate   | ≥0.1-≤0.5%        |
| EINECS: 212-485-8         | Acute Tox. 1, H330; & Resp. Sens. 1, H334;  Acute Tox 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, | <u> </u>          |
|                           |   |                   |
| Reg.nr.: 01-2119457571-37 | H317; STOT SE 3, H335   |                   |

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

After each cleaning use treatment creams, for very dry skin greasy ointments.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Call a doctor immediately.

Do not leave affected persons unattended.

Rinse out mouth and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Not applicable.
- **5.2 Special hazards arising from the substance or mixture** Danger of forming toxic pyrolysis products.
- 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Ensure adequate ventilation

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

Identification of the substance/preparation: Dr. Schutz Crosslinker A

(Contd. of page 3)

### · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

## · 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

### · Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

#### · Exposure limit values:

### 123-86-4 n-butyl acetate

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

### 822-06-0 hexamethylene-di-isocyanate

WEL Short-term value: 0.07 mg/m<sup>3</sup>

Long-term value: 0.02 mg/m<sup>3</sup>

Sen; as -NCO

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Occupational exposure controls:
- General protective and hygienic measures:

Clean skin thoroughly immediately after handling the product.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

Identification of the substance/preparation: Dr. Schutz Crosslinker A

(Contd. of page 4)

### · Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



## Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eve protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

- · Body protection: Light weight protective clothing
- Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

· pH-value:

Form: Fluid
Colour: Colourless
Odour: Ester-like
Odour threshold: Not determined.

· Change in condition

Explosive properties:

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

Flash point: 62°C (Seta Flash Closed Cup)
 Flammability (solid, gas): Undetermined.
 Ignition temperature: 165°C
 Decomposition temperature: Not determined.
 Auto-ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard.

Not applicable.

(Contd. on page 6)

## Dr. Schutz®

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

Identification of the substance/preparation: Dr. Schutz Crosslinker A

|   | (Contd. of page 5                          |
|---|--|
| · Explosion limits:                       |  |
| Lower:                                    | 0.9Vol %                                   |
| Upper:                                    | 0.0Vol %                                   |
| · Vapour pressure:                        | Not determined.                            |
| · Density at 20°C:                        | 1.098g/cm <sup>3</sup>                     |
| · Relative density                        | Not determined.                            |
| Vapour density                            | Not determined.                            |
| Evaporation rate                          | Not determined.                            |
| · Solubility in / Miscibility with        |  |
| water:                                    | Fully miscible.                            |
| · Partition coefficient: n-octanol/water: | Not determined.                            |
| · Viscosity:                              |  |
| Dynamic:                                  | Not determined.                            |
| Kinematic at 20°C:                        | 73s (DIN 53211/4)                          |
| · Solvent content:                        |  |
| Organic solvents:                         | 18.1%                                      |
| VOC (EC)                                  | 18.10 %                                    |
| · 9.2 Other information                   | No further relevant information available. |

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity see section "Possibility of hazardous reactions".
- · 10.2 Chemical stability No information available.
- · Conditions to avoid: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Reacts with alcohols, amines, aqueous acids and alkalis.

Reacts with water gently forming carbon dioxide. In case of moisture access pressure build-up and danger of bursting in closed packings.

• 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if inhaled.

| · LD/LC5 | · LD/LC50 values relevant for classification: |                          |  |
|----------|---|--------------------------|--|
| 822-06-  | 0 hexa  | ımethylene-di-isocyanate |  |
| Oral     | LD50  | 738 mg/kg (rat)          |  |
| Dermal   | LD50  | 593 mg/kg (rat)          |  |

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eve irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

· Repeated dose toxicity Undetermined.

(Contd. on page 7)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

Identification of the substance/preparation: Dr. Schutz Crosslinker A

(Contd. of page 6)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: Undetermined.
- 12.2 Persistence and degradability The solvent is biodegradable.
- · 12.3 Bioaccumulative potential Undetermined.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| · European | waste | catalogue |
|------------|-------|-----------|
|------------|-------|-----------|

08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances 08 05 01\* waste isocyanates

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, ADN, IMDG, IATA Void
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void

(Contd. on page 8)

## Dr. Schutz®

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

Identification of the substance/preparation: Dr. Schutz Crosslinker A

|   |                 | (Contd. of page 7) |
|---|-----------------|--------------------|
| · 14.3 Transport hazard class(es)           |                 |                    |
| · ADR, ADN, IMDG, IATA<br>· Class           | Void            |                    |
|   | Void            |                    |
| · 14.4 Packing group<br>· ADR, IMDG, IATA   | Void            |                    |
| · 14.5 Environmental hazards:               |                 |                    |
| · Marine pollutant:                         | No              |                    |
| · 14.6 Special precautions for user         | Not applicable. |                    |
| · 14.7 Transport in bulk according to Annex | II of           |                    |
| Marpol and the IBC Code                     | Not applicable. |                    |
| · UN "Model Regulation":                    | Void            |                    |

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

- $\cdot$  Other regulations, limitations and prohibitive regulations
- Other regulations (EC): Directive 2004/42/EC
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H226 Flammable liquid and vapour.
- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

(Contd. on page 9)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2017 Version number 2 Revision: 04.08.2016

Identification of the substance/preparation: Dr. Schutz Crosslinker A

(Contd. of page 8)

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- · Training hints ---
- · Recommended restriction of use

Not intended for spraying and industrial processing.

Restricted to professional users.

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

- · Department issuing SDS: Department for product development
- · Contact:

Dr. Reindl

Dr. Reindl

## · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3 Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 1: Acute toxicity – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- · Sources Safety data sheet for raw materials, eur-lex.europa.eu
- \* Data compared to the previous version altered.

GB