Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

1 Identification

- · Product identifier
- · Trade name: Dr. Schutz Waxnomor (all gloss grades) Base
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Supplier: Dr. Schutz GmbH Holbeinstraße 17 D-53175 Bonn Tel: +49 228/95 35 2-0 Fax: +49 228/95 35 2-46 E-Mail: export@dr-schutz.com

Import: Dr. Schutz NA 4701 Bath St. 46 Philadelphia PA 19137 Tel.: 001/877 2724889 E-Mail: sam@schutzna.com • Information department: E-Mail: sam@schutzna.com Department for product development • Emergency telephone number:

Dr. Schutz NA, Tel.: 001/877 2724889 Mo-Fr 8am - 7pm

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · NFPA ratings (scale 0 4)



Reactivity = 0
 HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- **3 Composition/information on ingredients**

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

⁻ US -

1-5% 0.1-<1%

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

Trade name: Dr. Schutz Waxnomor (all gloss grades) Base

(Contd. of page 1)

- J	
111-90-0	Carbitol

121-44-8 triethylamine

· Dangerous components:

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- No special measures required.
- · After inhalation: Supply fresh air.
- After skin contact: After each cleaning use treatment creams, for very dry skin greasy ointments. • After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- Special hazards arising from the substance or mixture Danger of toxic pyrolysis products.
- Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Avoid contact with the eyes and skin.
 Environmental precautions:
 Prevent from spreading (e.g. by damming-in or oil barriers).
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
 PAC-1

	· FAC-1.		
Ī	111-90-0	Carbitol	75 ppm
Ī	112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	18 mg/m3
Ī	121-44-8	triethylamine	1 ppm
ſ	9005-00-9	Polyoxyethylenstearylether	5.7 mg/m3
		(Co	ontd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

Trade name: Dr. Schutz Waxnomor (all gloss grades) Base

67.00.0		(Contd. of page 2)	
67-63-0	propan-2-ol	400 ppm	
· PAC-2:			
111-90-0	Carbitol	100 ppm	
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	100 mg/m3	
121-44-8	triethylamine	170 ppm	
9005-00-9	Polyoxyethylenstearylether	63 mg/m3	
67-63-0	propan-2-ol	2000* ppm	
· PAC-3:	· PAC-3:		
111-90-0	Carbitol	450 ppm	
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	630 mg/m3	
121-44-8	triethylamine	1,000 ppm	
9005-00-9	Polyoxyethylenstearylether	380 mg/m3	
67-63-0	propan-2-ol	12000** ppm	

7 Handling and storage

· Handling:

Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet. Avoid contact with the eyes and skin.

- No special measures required.
- Information about protection against explosions and fires: No special precautions are necessary if used correctly.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

WEEL	Long-term value: 25 ppm	
121-44	I-8 triethylamine	
PEL	Long-term value: 100 mg/m ³ , 25 ppm	
TLV	Short-term value: 4.14 mg/m³, 1 ppm Long-term value: 2.07 mg/m³, 0.5 ppm Skin	

Dr. Schutz[•]

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

Trade name: Dr. Schutz Waxnomor (all gloss grades) Base

· Exposure controls	
 Exposure controls 	(Contd. of page 3)
•	
 Personal protective equipment: 	
General protective and hygienic m	
Do not eat, drink, smoke or sniff whil	
Be sure to clean skin thoroughly afte	
Breathing equipment: Not required	
Protection of hands: Impervious gloves	
1 0	eable and resistant to the product/ the substance/ the preparation.
	ation to the glove material can be given for the product/ the
preparation/ the chemical mixture.	
	nsideration of the penetration times, rates of diffusion and the
degradation	
 Material of gloves 	
	eable and resistant to the product/ the substance/ the preparation.
	does not only depend on the material, but also on further marks of
	r to manufacturer. As the product is a preparation of several
checked prior to the application.	we material can not be calculated in advance and has therefore to be
Penetration time of glove material	
	be found out by the manufacturer of the protective gloves and has to
be observed.	
· Eye protection:	
	coming into contact with splashes of liquid (i.e. when refilling larger
	to EN 166 (i.e. goggles with side shields) are recommended.
· Body protection:	
Not required.	
Light weight protective clothing	
· Limitation and supervision of expe	
Follow instructions for use, dosage a	ind waste disposal.
9 Physical and chemical properties	
Information on basic physical and	chemical properties
 Information on basic physical and General Information 	chemical properties
 Information on basic physical and General Information Appearance: 	
 Information on basic physical and General Information Appearance: Form: 	Fluid
 Information on basic physical and General Information Appearance: Form: Color: 	Fluid Whitish
 Information on basic physical and General Information Appearance: Form: Color: Odor: 	Fluid Whitish Specific type
Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold:	Fluid Whitish Specific type Not determined.
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value at 20 °C (68 °F): 	Fluid Whitish Specific type
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition 	Fluid Whitish Specific type Not determined. 8.5
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: 	Fluid Whitish Specific type Not determined. 8.5 Undetermined.
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition 	Fluid Whitish Specific type Not determined. 8.5
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Fluid Whitish Specific type Not determined. 8.5 Undetermined.
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: 	Fluid Whitish Specific type Not determined. 8.5 Undetermined. Undetermined.
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: 	Fluid Whitish Specific type Not determined. 8.5 Undetermined. Undetermined. >100 °C (>212 °F) (Seta Flash Closed Cup)
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): 	Fluid Whitish Specific type Not determined. 8.5 Undetermined. >100 °C (>212 °F) (Seta Flash Closed Cup) Undetermined.
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: 	Fluid Whitish Specific type Not determined. 8.5 Undetermined. Undetermined. >100 °C (>212 °F) (Seta Flash Closed Cup) Undetermined. Not determined.
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: 	Fluid Whitish Specific type Not determined. 8.5 Undetermined. >100 °C (>212 °F) (Seta Flash Closed Cup) Undetermined. Not determined. Product is not selfigniting. Product does not present an explosion hazard.
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Soling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Auto igniting: Danger of explosion: 	Fluid Whitish Specific type Not determined. 8.5 Undetermined. >100 °C (>212 °F) (Seta Flash Closed Cup) Undetermined. Not determined. Product is not selfigniting.
 General Information Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: 	Fluid Whitish Specific type Not determined. 8.5 Undetermined. >100 °C (>212 °F) (Seta Flash Closed Cup) Undetermined. Not determined. Product is not selfigniting. Product does not present an explosion hazard.

acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

Trade name: Dr. Schutz Waxnomor (all gloss grades) Base

		(Contd. of page
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1.042 g/cm ³ (8.695 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C (68 °F):	40 s (DIN 53211/4)	
· Solvent content:		
Organic solvents:	4.5 %	
VOC content ASTM D3960:	4.5 %	
	47.0 g/l / 0.39 lb/gl	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity see section "Possibility of hazardous reactions".

 Chemical stability Stable at ambient temperature. No information available.

 Thermal decomposition / conditions to be avoided: Protect from frost.

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No dangerous reactions known.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No data available.
- · on the eye: No data available.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

(Contd. on page 6)

3

US -

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

Trade name: Dr. Schutz Waxnomor (all gloss grades) Base

(Contd. of page 5)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: Undetermined.
- Persistence and degradability Elimination of contained polymers

Elimination of contained polymers is possible through precipitation or flocculation. The solvent is biodegradable.

- · Behavior in environmental systems:
- · Bioaccumulative potential Undetermined.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Behavior in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must be specially treated adhering to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Uncleaned packagings:

· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, ADR, ADN	Void	
· IMDG, IATA	Void	
	No dangerous goods.	
· UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Void	

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

Trade name: Dr. Schutz Waxnomor (all gloss grades) Base

		(Contd. of page 6)
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
 Packing group DOT, ADR, IMDG, IATA 	Not applicable. Void	
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
111-90-0 Carbitol	
121-44-8 triethylamine	
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol	
67-63-0 propan-2-ol	
· TSCA (Toxic Substances Control Act):	
111-90-0 Carbitol	
29911-28-2 (2-butoxymethylethoxy)propanol	
121-44-8 triethylamine	
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol	
2634-33-5 1,2-benzisothiazol-3(2H)-one	
9005-00-9 Polyoxyethylenstearylether	
67-63-0 propan-2-ol	
2682-20-4 2-methyl-2H-isothiazol-3-one	
68611-44-9 Kieselsäure hydrophobiert hochdisperse	
7732-18-5 water, distilled, conductivity or of similar purity	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
	(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

Trade name: Dr. Schutz Waxnomor (all gloss grades) Base

(Contd. of page 7)

· Cancerogenity categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value established by ACGIH)
121-44-8 triethylamine A4
67-63-0 propan-2-ol A4
NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
 • GHS label elements Void • Hazard pictograms Void • Signal word Void • Hazard statements Void
· National regulations:
 Other regulations, limitations and prohibitive regulations Other regulations (EC): Directive 2004/42/EC Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
16 Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
 Training hints Recommended restriction of use Not intended for spraying and industrial processing. Only for trade users People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.
Department issuing SDS: Department for product development Contact: Dr. Reindl Dr. Olaf Janßen
 Date of preparation / last revision 03/15/2017 / 10 Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health TLV: Threshold Limit Value
PEL: Permissible Exposure Limit (Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 06/19/2015

(Contd. of page 8)

Trade name: Dr. Schutz Waxnomor (all gloss grades) Base

REL: Recommended Exposure Limit

 \cdot * Data compared to the previous version altered.

- US